

# MULTI FORCE

## AIR LIFTING BAG



**HIGHER.  
SAFER.  
FASTER.  
STRONGER.**



**PARATECH**

**NEW**


# MULTIFORCE

## AIR LIFTING BAG



Paratech's **MULTIFORCE** Air Lifting Bag takes lifting to a whole new level. Integrating the latest technology with a unique understanding of lifting, Paratech has designed the **MULTIFORCE** Air Lifting Bag to exceed expectations. Ease of use and speed of deployment make the **MULTIFORCE** Air Lifting Bag an obvious choice whether the goal is saving lives or lifting locomotives. Paratech's patent pending design ensures that the high lift of this system can get into the tightest places possible, while the innovative remote lifting base keeps personnel safely away from the load when positioning the **MULTIFORCE** Air Lifting Bag. A dual stage feature keeps the load steady as the bag inflates so load drift is minimized and safety relief valves are integrated into the bag itself making over-inflation completely impossible. No mechanical coupling between air chambers means a stronger and safer lift. The remote lifting base doubles as a storage device keeping the bag safe and making it extremely easy to store.

Paratech always puts safety first creating industry-standard products from over 50 years of experience and in-depth end user input to provide the best equipment possible to the best customers in the world.



**HEAVY-DUTY RUBBER GRIPPING SURFACE**

**LIFT HEIGHT OF 26 IN / 66 CM**

**BUILT-IN INTERNAL RELIEF VALVE**

**HIGH VISIBILITY CENTERING STRIPES**

**DUAL STAGE LIFTING FEATURE KEEPS THE LOAD STABLE THROUGH THE LIFT**


**REMOTE PLACEMENT BASE ASSISTS WITH POSITIONING AND LIFTING STABILITY**

**INTEGRATED HEAVY-DUTY WHEELS FOR EASY TRAVEL**

**SIDE HANDLES DESIGNED TO ACCEPT FINGER HOOKS OR LARGER**

**DETACHABLE PLACEMENT HANDLE EXTENDS TO 50 IN / 127 CM**

**CONFORMS TO EN13731-2008-02**





<b>LIFT HEIGHT=</b>	<b>26 IN / 66 CM</b>
<b>LIFT CAPACITY=</b>	<b>31 TONS / 28.1 METRIC TONS</b>
<b>INSERTION HEIGHT</b>	<b>3.5 IN / 8.9 CM</b>
<b>WEIGHT=(without placement device)</b>	<b>35 LBS / 15.9 KG</b>
<b>WEIGHT=(with placement device)</b>	<b>50 LBS / 22.7 KG</b>
<b>LENGTH=(without placement device)</b>	<b>22 IN / 55.8 CM</b>
<b>LENGTH=(with placement device)</b>	<b>30 in / 76.2 CM</b>
<b>WIDTH=(without placement device)</b>	<b>23.5 IN / 59.7 CM</b>
<b>WIDTH=(with placement device)</b>	<b>28 IN / 71.1 CM</b>
<b>SAFETY FACTOR=(with placement device)</b>	<b>4 TO 1</b>
<b>WORKING PRESSURE=</b>	<b>150 PSI / 10.3 BAR</b>



# MULTI-FORCE

## AIR LIFTING BAG



**PARATECH**

LIFT ♦ SHIFT ♦ CONTAIN ♦ STABILIZE ♦ PENETRATE  
call us at (800) 435-9358 EU: +45 66 11 24 22  
or visit us on the web at [www.paratech.com](http://www.paratech.com)  
MADE IN THE USA AND USED WORLDWIDE

22-0002HA

**TEAM**

**TEAM EQUIPMENT, INC.**

6620 Orchid Lake Rd. New Port Richey, FL. 34653-1111  
(727) 848-2424 - (800) 367-9054 - fax (727) 845-5941  
[www.teamequipment.com](http://www.teamequipment.com) - [www.teamrescuestore.com](http://www.teamrescuestore.com)