

FORCIBLE ENTRY TOOLS



RESCUE STARTS HERE

Hooligan Tools

The Paratech Hooligan Tool has set the standard of excellence for Halligan type tools. Now available with a machined alloy shaft for lighter weight, these heavy-duty tools were designed to pry, pound, puncture, twist, and cut open or remove all types of barriers between emergency service personnel and saving a life.

| Standard Claw with Electroless Nickel Finish | Part No. | Length Inches (cm) | Weight | |
|--|-----------|--------------------|--------------|---------------|
| | | | Net Lbs (KG) | Ship Lbs (KG) |
| 24" Hooligan Tool | 22-000599 | 24 (61.0) | 10.0 (4.5) | 13 (5.9) |
| 30" Hooligan Tool | 22-000600 | 30 (76.2) | 11.4 (5.2) | 14 (6.4) |
| 36" Hooligan Tool | 22-000601 | 36 (91.4) | 12.7 (5.8) | 15 (6.8) |
| 42" Hooligan Tool | 22-000602 | 42 (106.7) | 14.2 (6.4) | 16 (7.3) |

Lightweight Aluminum Handle and Standard Claw with Electroless Nickel Finish

| | | | | |
|-------------------|-----------|-----------|-----------|----------|
| 24" Hooligan Tool | 22-000424 | 24 (61.0) | 7.3 (3.3) | 10 (4.5) |
| 30" Hooligan Tool | 22-000430 | 30 (76.2) | 7.8 (3.5) | 11 (5.0) |

Standard Claw with Tactical Black Finish

| | | | | |
|-------------------|-----------|-----------|------------|----------|
| 30" Hooligan Tool | 22-000670 | 30 (76.2) | 11.4 (5.2) | 14 (6.4) |
| 36" Hooligan Tool | 22-000671 | 36 (91.4) | 12.7 (5.8) | 15 (6.8) |

Metal Cutting Claw with Electroless Nickel Finish

| | | | | |
|----------------------|-----------|------------|------------|----------|
| 30" Highway Hooligan | 22-000622 | 30 (76.2) | 11.4 (5.2) | 13 (5.9) |
| 36" Highway Hooligan | 22-000623 | 36 (91.4) | 12.7 (5.8) | 14 (6.4) |
| 42" Highway Hooligan | 22-000624 | 42 (106.7) | 14.2 (6.4) | 16 (7.3) |

Spark Resistant Forcible Entry Tools

| | | | | |
|---|-----------|-----------|------------|----------|
| 30" Spark Resistant Westcoast Bar | 22-891640 | 30 (76.2) | 11.0 (5.0) | 13 (5.9) |
| 30" Spark Resistant Hooligan Tool with Metal Cutting Claw | 22-891622 | 30 (76.2) | 11.2 (5.1) | 13 (5.9) |
| 30" Spark Resistant Hooligan Tool with | 22-891600 | 30 (76.2) | 11.2 (5.1) | 13 (5.9) |

Spark Resistant Forcible Entry Tools

The head and claw are manufactured entirely from spark resistant AMPCOLOY 45. These heavy duty forcible entry tools are designed for emergency service personnel operating in the presence of hazardous vapors and combustible residues. Now a single spark resistant tool allows you to pound, puncture, pry, twist and cut metal barriers in the presence of hazardous vapors. Using the design of one of the world's most popular forcible entry tools and manufacturing it out of spark resistant materials, makes this an important addition to your HazMat tool arsenal.

Features include:

- A gently curved claw maximizes prying leverage
- Parallel claw opening fits over locks, hasps and many door bars
- Doubles as a nail puller and gas shut off tool
- Aluminum Alloy Shaft (22-000424 and 22-000430)

Standard Claw with Electroless Nickel Finish



Metal Cutting Claw with Electroless Nickel Finish



Standard Claw with Tactical Black Finish



Spark Resistant



Buster Tool

NEW




Buster Tool in Closed Position w/ Compact Claw



Standard Claw



Sheath



L.A. Scabbard



Tactical Holster

| Description | Part No. | Length Inches (CM) | Weight | |
|---------------------------|------------|-----------------------|--------------|---------------|
| | | | Net Lbs (KG) | Ship Lbs (KG) |
| Buster with Compact Claw | 22-000300 | 15.5 (39.4) | 5.3 (2.4) | 6.7 (3.0) |
| Buster with Standard Claw | 22-000301 | 17.25 (43.8) | 5.7 (2.6) | 7.1 (3.2) |
| Compact Claw | 22-000321 | 12.5 (31.8) | 2.0 (0.9) | 3.0 (1.4) |
| Standard Claw | 22-000322s | 14.25 (36.2) | 2.4 (1.1) | 3.4 (1.5) |
| Sheath | 22-000505 | 19 (48.3) | 1.0 (0.5) | 1.5 (0.7) |
| L.A. Scabbard | 22-000504 | 10.5 (26.7) | 1.5 (0.7) | 2.5 (1.1) |
| Tactical Holster | 22-000506 | 9 (22.9) | 0.5 (0.2) | 1.0 (0.5) |

The new Buster Tool from Paratech is the perfect compact forcible entry tool. Designed for fire department officers; it has the versatility and strength to assist in getting the job done on the fire ground.

Force entry or exit in most interiors; open walls or baseboards to check fire spread; use the Buster's extended and locked claw assembly for close quarter chopping and added prying leverage.

EMT's and Paramedics will benefit from the Buster as well. Low damage forcible entry to reach downed or incapacitated victims is now possible before assist units arrive on scene.

The Buster Tool has two claws: Compact and Standard. The Compact Claw will pry windows, light door frames, enlarge openings in sheet metal and pull nails. The Standard Claw does all the above and can be used for gas shut off, prying open larger doors and removing hinges from doors.

Its unique locking lever allows the tool to be used in two positions: closed for use in compact spaces or extended and locked for added leverage. When the claw is completely removed it can be inserted in the keyway in the axe head for twisting leverage in confined spaces. While unlocked, the Buster Tool has the powerful "Slam and Ram" capability for quick and decisive entry.

The head and claw assemblies are separate sections manufactured from hardened stainless steel for maximum strength. The molded neoprene rubber handle is ergonomically shaped for a better grip.

The Buster with compact claw has a weight of only 5.3 lbs. (2.4 kg.) with an extended length of 21.5 in. (546 mm) and a collapsed length of 15.5 in. (394 mm). This lightweight tool can be carried with ease by using the Tactical Holster, Sheath or L.A. Scabbard.


The Buster Tool is also used as a cockpit crash axe and exceeds (SAE) Aerospace Standard (AS) 5402 which specifies the design and performance criteria for aircraft crash axes.

Paratech has always been a leader in the design of rugged and reliable forcible entry tools and the new Buster Tool continues that tradition.

Features:

- Extend and lock handle for prying leverage and close quarter chopping
- Choose one of two claw types
- Removable claws to separate tasks
- Lockbreaker claw works on many gas shutoffs
- Right angle prying thanks to axe head claw receiver
- Insulated molded handle
- 5.3 lbs (2.4 KG) with compact claw

Pry Axe



Here is a tool that has withstood the test of time. For over 40 years the Pry Axe has remained the best selling tool in our line. The Pry Axe is being used by fire departments, police departments and rescue squads worldwide.


The Pry Axe is a lightweight, multi-purpose, slam and ram tool designed to pry, enlarge openings, cut sheet metal and twist off locks and latches. This efficient tool lets every firefighter force entry, rescue and ventilate without waiting for help. The Pry Axe is small enough to carry and rugged enough for most jobs.

The Pry Axe head and claw assemblies are separate sections forged from high alloy steel and heat treated for maximum strength. A solid steel shaft is press fitted and pinned to the claw. A tubular steel handle is press fitted and welded to the head. A rubber sleeve over the handle provides a non-slip grip. The tool weighs 6.6 lbs. (3 kg), and is 18" (46 cm) closed, and 26" (72 cm) extended. The Pry Axe is electroless nickel plated for good looks and easy maintenance.

Pry Axe

| Description | Part No. | Length Inches (cm) | Weight | |
|--|-----------|-----------------------|--------------|---------------|
| | | | Net Lbs (KG) | Ship Lbs (KG) |
| Pry-Axe Only with Metal Cutting Claw | 22-000522 | 18.6 (47.2) | 6.6 (3.0) | 8.0 (3.6) |
| Pry-Axe only with Standard Claw | 22-000520 | 18.4 (46.7) | 6.6 (3.0) | 8.0 (3.6) |
| Pry-Axe with Standard & Metal Cutting Claw | 22-000518 | 18.6 (47.2) | 9.6 (4.4) | 11.0 (5.0) |
| Pry-Axe with Standard Claw & Sheath | 22-000515 | 18.4 (46.7) | 7.0 (3.2) | 8.0 (3.6) |
| Pry-Axe with Standard Claw & Vehicle Bracket | 22-000516 | 18.4 (46.7) | 7.0 (3.2) | 9.0 (4.1) |

Biel Tool



Think of the times you have been exposed to situations when the need for a small, strong, forcible entry tool was immediate and you were unable to act because you didn't have the right tool to do the job.

Now you can act quickly! The Biel Tool, (pronounced BEE'L) is a personal size multi-purpose forcible entry and rescue tool, designed for forcing doors and windows, prying and twisting hasps and locks, light overhauling, metal cutting and chopping.

The Biel Tool incorporates many features found in the famous Paratech "Pry-Axe", but is much smaller at 15" (38.1 cm) long in its closed position and 19" (48.3 cm) extended and light

enough, 3.3 lbs. (1.5 kg) to wear on a belt, or to carry in the pocket of a bunker coat. The Biel is constructed of alloy steel forgings, heat treated for maximum strength and durability, and chrome plated or with an electroless nickel finish for easy maintenance.

| Description | Part No. | Length Inches (cm) | Weight | |
|--------------------|-----------|-----------------------|--------------|---------------|
| | | | Net Lbs (KG) | Ship Lbs (KG) |
| Biel Tool | 22-000550 | 15 (38.1) | 3.2 (1.5) | 3.2 (1.5) |
| Sheath | 22-000555 | 5 (12.7) | 0.5 (0.2) | 0.5 (1.2) |
| Biel Tool & Sheath | 22-000551 | 15 (38.1) | 3.7 (1.7) | 3.7 (1.7) |

Hook and Chain

The Hook and Chain is a must for pulling, stabilizing and working with hydraulic rescue tools.

A large forged alloy steel hook attached to a length of 3/8" (9.5 mm) high test alloy steel chain and grab hook. The chain has a working load capacity of 5400 lbs. (2450 kg), and the hook is 6.5" (17 cm) wide and electroless nickel plated.



| Description | Part No. | Length Inches (cm) | Weight | |
|---------------------|-----------|-----------------------|--------------|---------------|
| | | | Net Lbs (KG) | Ship Lbs (KG) |
| 6 ft. Hook & Chain | 22-000690 | 72 (182.9) | 15.0 (6.8) | 16.0 (7.3) |
| 12 ft. Hook & Chain | 22-000691 | 144 (365.8) | 24.0 (10.9) | 25.0 (11.3) |
| 18 ft. Hook & Chain | 22-000692 | 216 (548.7) | 33.0 (15.0) | 34.0 (15.4) |

Hook and Claw



The Hook and Claw is a heavy duty prying tool designed for overhauling. Usually found on Ladder (Truck) Companies, the Claw Tool is very practical for prying floorboards, baseboards, window casements and door frames.

Both the Hook and Claw are drop forged from high alloy steel. After being heat treated they are pressed and pinned to a 1" (2.5cm) stress proof bar. Machine grooved hand grips and electroless nickel plating improve the function and appearance.

The Hook has a 6.5" opening and is machine sharpened. The Claw is parallel slotted with a recessed nail puller to remove locks, hasps and shut gas valves. The ends are machine sharpened to engage a prying point.

The Paratech Hook and Claw Tool meets any published requirement for a hand held Claw Tool.


| Description | Part No. | Length Inches (cm) | Weight | |
|---------------|-----------|-----------------------|--------------|---------------|
| | | | Net Lbs (KG) | Ship Lbs (KG) |
| 30" Claw Tool | 22-000590 | 30 (76.2) | 11.7 (5.3) | 15 (6.8) |
| 36" Claw Tool | 22-000591 | 36 (91.4) | 13.0 (5.9) | 16 (7.3) |
| 42" Claw Tool | 22-000592 | 42 (106.7) | 14.3 (6.5) | 17 (7.7) |

Kelly Tool

The Kelly Tool is often used in a wedge & sledge combination with a flat head axe. Now specified by fire departments that want a rugged forcible entry tool without the protruding point found on the “Halligan” type tools.

Both the adz end and claw are drop forged from high alloy steel and heat treated for maximum strength. The adz and claw have been machine sharpened for easy access to a prying point. Both ends are permanently press fitted to a 1" (2.5cm) stress proof steel bar with machine grooved hand grips.

The adz end extends into a protruding hammer head to be used as a striking tool or receive hammer blows. The tool features a gently curved claw for maximum prying leverage and has a recessed nail puller. This parallel claw is slotted to slip over locks, hasps and many gas shutoffs.



| Description | Part No. | Length Inches (cm) | Weight | |
|----------------|-----------|-----------------------|--------------|---------------|
| | | | Net Lbs (KG) | Ship Lbs (KG) |
| 30" Kelly Tool | 22-000560 | 30 (76.2) | 11.8 (5.4) | 14 (6.4) |
| 36" Kelly Tool | 22-000561 | 36 (91.4) | 13.1 (5.9) | 15 (6.8) |
| 42" Kelly Tool | 22-000562 | 42 (106.7) | 14.5 (6.6) | 16 (7.3) |

Super Ram Bar

**This powerful tool has only one function.
GET IN FAST!**

It uses the “Slam & Ram” power stroke made famous by Paratech. Just place the drop forged lockbreaker claw where you want the force applied and “Slam & Ram.” No more deflected hammer blows. No more dangerous backswings in crowded area. All the force is delivered where and when you want it.



| Description | Part No. | Length Inches (cm) | Weight | |
|----------------------|-----------|-----------------------|--------------|---------------|
| | | | Net Lbs (KG) | Ship Lbs (KG) |
| Super Rambar | 22-000650 | 33 (83.8) | 16.0 (7.3) | 18.0 (8.2) |
| Mounting Bracket Set | 22-000651 | 4(10.2) | 1.5 (0.7) | 2.0 (0.9) |

PRT Tool

Collet Chuck locks the Ram Bar for storage, and at any length, for added leverage and safety.

Hard Coated Aluminum Alloy Tube Body, with machine grooved, non-slip grip.

Hard Coated Aluminum Alloy Tool Bit Retainer and Locking Ring.

Forged, Heat Treated, Interchangeable Tool Bits.

Ram Bar/Handle with machine grooved, non-slip grip. Ram travels up to 13.6" (34.5 cm) for maximum impact.

Wide Chisel Tip
18.3" (46.5 cm) long tool bit for lifting, prying and punching metal. Provides extra length for reaching into narrow crevices and pry bar leverage up to 53" when fully extended.

Metal Cutting Claw
12.4" (31.5 cm) long tool bit for punching and cutting sheet metal (automobile roofs and hoods, aircraft, structures, etc.). Works like a manual can opener.

Bull Point
18.3" (46.5 cm) long tool bit for breaking concrete and masonry materials. 5" thick unreinforced concrete is easily broken after only 6-8 strikes of the ram bar.

1" Chisel Tip
18.3" (46.5 cm) long tool bit, also used for breaking concrete, prying and breaking bolts, breaching brick and block walls.

Lock Breaker Claw
12.4" (31.5 cm) long tool bit for prying or forcing open doors, windows, twisting hasps and breaking locks.

The PRT is a powerful hand held rescue tool that can be put to work with a minimal amount of training. Primarily designed for fast, forcible entry and penetration, one person can quickly pry open locks and doors in seconds and easily break through brick and concrete block walls within a few minutes.

The Slam and Ram action of the PRT directs all of its force directly at the point of impact –without deflection, making it safer and more effective than a sledge and wedge.

This heavy duty rescue tool is easily stored and transported, so it can always be... The First Tool to the Rescue, until heavier, powered equipment can be employed, if necessary.


| Description | Part No. | Length Inches (cm) | Weight | |
|----------------------|-----------|-----------------------|--------------|---------------|
| | | | Net Lbs (KG) | Ship Lbs (KG) |
| PRT Rescue Kit | 22-000625 | 31.5 (80) | 29.0 (13.2) | 30.0 (13.6) |
| PRT Bar only | 22-000627 | 26.6 (67.6) | 11.6 (5.3) | 13.0 (5.9) |
| Chisel - 3" Wide | 22-098107 | 18.3 (46.5) | 3.8 (1.7) | 4.0 (1.8) |
| Bullpoint - 14" long | 22-098101 | 18.3 (46.5) | 2.9 (1.3) | 4.0 (1.8) |
| Chisel - 1" Wide | 22-098111 | 18.3 (46.5) | 2.9 (1.3) | 4.0 (1.8) |
| Lockbreaker Claw | 22-000636 | 12.4 (31.5) | 2.6 (1.2) | 3.0 (1.4) |
| Metal Cutting Claw | 22-000637 | 12.4 (31.5) | 4.0 (1.8) | 5.0 (2.3) |
| Carrying Pouch | 22-015472 | 32.6 (82.8) | 1.0 (0.5) | 2.0 (0.9) |



PARATECH®

Rescue Starts Here

When the call comes, you're ready
you're tough, and you're committed.
At Paratech we understand. For over
40 years our people have been
working to make sure that you have
the most reliable, innovatively
designed and well manufactured
rescue tools and equipment to do
your job. From engineering, to
manufacturing, to training... failure
is not an option.



Paratech Incorporated
P.O. Box 1000, Frankfort, IL 60423 USA
Phone: 815.469.3911 Fax: 815.469.7748
www.paratech.us E-mail: paratech@paratech.us

Paratech Europe, Branch of Paratech Inc.
P.O. Box 174, 5260 Odense S, Denmark
Phone: +45.66.11.24.22 Fax: +45.66.11.24.32
Email: paratech@paratech.dk

