AJAX Rescue Tools

AIR HAMMER RESCUE KITS

The "Original" Rescue Tool



AIR CHISEL
FIRE
RESCUE
AJAX Rescue Tools Since 1970
50th ANNIVERSARY

An Extra Hand in Extrication



AJAX Rescue Tools

10801 Franklin Avenue Franklin Park, Illinois 60131 800.323.9129
www.ajaxrescuetools.com

RESCUE KITS

ALL Ajax Rescue kits include everything that is necessary to start and complete an extrication.



911-RK SUPER DUTY KIT

Choice of Champions

Our most powerful kit, featuring our hardest hitting hammer, along with heavy duty chisels with both non-turn and turn type shanks.



811-RK HEAVY DUTY KIT

811-RK features a heavy duty hammer that offers powerful cutting action and includes both non-turn and turn type shank chisels.



711-RK STANDARD DUTY KIT

711-RK Features a standard duty hammer along with non-turn type shank chisels.

911-RK SUPER DUTY KIT

PART NO.	DESCRIPTION
(1) 1976	Hammer for .498-in. shank tools
(1) 3700-3	Retainer
(1) 8250H	Regulator (4500-5500 PSI) *NEW*
(2) 8260	Ergo Chisel Grip (non-turn)
(1) 3190-12	12-in. Moil Point (non-turn)
(2) 3189	Double Blade Panel Cutter (non-turn)
(2) 3180	Kwik Cutter (non-turn)1
(2) 3180-18	8-in. Kwik Cutter (non-turn)
(2) 3089	Double Blade Panel Cutter (turn-type)
(2) 3080	Kwik Cutter (turn-type)
(2) 3080-18	18-in.Kwik Cutter (turn-type)
(1) 1030	15-ft., 3/8-in. Hose
(1) 1045	3/8-in. Male Connector(1/4-in. NPT hammer)
(1) 1048	3/8-in. Male Connector(1/4-in. NPT regulator)
(1) 1052	3/8-in. Female Coupler (3/8-in. NPT hose)
(1) 5317	20-in. Steel Kit Box
(1) 8259	Kit Box Liner
(1) 1074	4-oz. Oil
(1) 674-RT	Trim Removal Tool *NEW*



1976
.498 Shank Super-Duty Air Hammer

SPECIFICATIONS					
Blows per Minute	Bore Size	Stroke Length	Air at 90psi	Overall Length	Net Wgt
1560	3/4"	2-11/16"	7 cfm	9-1/2"	6 lbs.

The valve assembly is a hardened and ground steel spool valve that provides smooth starting, heavier blows and excellent control of the hammer during operation.

911-RKM **Same as 911 RK with (#1985) 1/2-in. Impact Wrench and #1986 11-piece (fractional) socket set.**

811-RK HEAVY DUTY KIT

(1) 1973	Hammer for .401-in shank tools
(1) 3300-42	Retainer
(1) 8250H	Regulator (4500-5500 PSI) *NEW*
(2) 3159	Double Blade Panel Cutter (non-turn)
(2) 3156	Kwik Cutter (non-turn)
(2) 3156-18	18-in. Kwik Cutter (non-turn)
(2) 909-9	Panel Cutter (turn-type)
(2) 932	Kwik Cutter (turn-type)
(2) 932-18	18-in. Kwik Cutter (turn-type)
(1) 929	Ripper Chisel (turn-type)
(1) 940	Moil Point (turn-type)
(1) 998	15-ft.,1/4-in. Hose
(2) 992	Male Connector (1/4-in. NPT hose and hammer)
(1) 996	Male Coupler (1/4-in. NPT regulator)
(1) 993	Female Coupler (1/4-in. NPT hose)
(1) 5317	20-in. Steel Kit Box
(1) 8259	Kit Box Liner
(1) 1074	4-oz. Oil
(1) 674-RT	Trim Removal Tool *NEW*



1973
.401 Shank Heavy-Duty Air Hammer

SPECIFICATIONS					
Blows per Minute	Bore Size	Stroke Length	Air at 90psi	Overall Length	Net Wgt
3000	3/4"	2-5/8"	4 cfm	10"	5 lbs.

The valve assembly is a plate valve that provides fast starting, powerful blows and a steady cutting action.

811-RKM **Same as 811 RK with (#1985) 1/2-in. Impact Wrench and #1986 11-piece (fractional) socket set.**

711-RK STANDARD DUTY KIT

(1) 1974	Hammer for .401-in. shank tools
(1) 3300-U	Retainer
(1) 8250H	Regulator (4500-5500 PSI) *NEW*
(2) 3159	Double Blade Panel Cutter (non-turn)
(2) 3156	Kwik Cutter (non-turn)
(2) 3156-18	18-in. Kwik Cutter (non-turn)
(1) 940	Moil Point (turn-type)
(1) 998	15-ft., 1/4-in. Hose
(2) 992	Male Connector (1/4-in. NPT hose and hammer)
(1) 996	Male Coupler (1/4-in. NPT regulator)
(1) 993	Female Coupler (1.4-in. NPT hose)
(1) 5317	20-in. Steel Kit Box
(1) 8259	Kit Box Liner
(1) 1074	4-oz. Oil
(1) 674-RT	Trim Removal Tool *NEW*



1974
.401 Shank Standard-Duty Air Hammer

SPECIFICATIONS					
Blows per Minute	Bore Size	Stroke Length	Air at 90psi	Overall Length	Net Wgt
2100	3/4"	3-1/2"	4 cfm	9-1/2"	5 lbs.

The standard disc valve provides efficient operation and smooth control of the hammer.

711-RKM **Same as 711 RK with (#1985) 1/2-in. Impact Wrench and #1986 11-piece (fractional) socket set.**

AXESS

X11-RK AXESS RESCUE KIT

The Ajax X11-RK Axess Tool is designed for cutting heavier metals, chipping concrete, masonry, brick and other materials.
Applications: Structural Collapse, Trench Rescue, and Bus and Big Rig Extrications
Features: Extra reach for bus and big rig extrications, Clay Spade bit for digging and trenching

PART NO.	QTY	DESCRIPTION
1999	1	Axess Air Hammer with 3700S-3 retainer
1044	1	3/8" Male coupler with 3/8" NPT
1050	1	3/8" 90 Degree swivel
1030	1	15 ft. 3/8" Hose with male coupler
1052	1	3/8" Female coupler for 1030 hose
8250H	1	Regulator (4500-5500 PSI) ***NEW***
1048	1	3/8" Female coupler for regulator
1074	1	4 oz. Bottle of oil
5318	1	30" Steel kit box
8262	1	Kit Box Liner
3000-RK	1	15 1/2" Chisel Pouch
3100-RK	1	23 1/2" Chisel Pouch
3189-PL	1	Non-Turn Panel Cutter 9"
3180-PL	1	Non-Turn Kwik Cutter 9"
3182-PL	1	Non-Turn Flat Chisel 7"
3180-18-PL	1	Non-Turn Kwik Cutter 18"
3182-18-PL	1	Non-Turn Flat Chisel 18"
3184-18-PL	1	Non-Turn 1 1/2" Wide Chisel 18"
3190-12-PL	1	Non-Turn Moil Point 12"
3188-PL	1	Non-Turn Clay Spade



SPECIFICATIONS

Blows per Minute	Piston Bore	Stroke Length	Cubic Feet/ Minute	Overall Length	Net Weight
1400	3/4"	3-7/8"	7'	25"	10 lbs.

1999

.498 Shank
Air Axess Hammer

The valve assembly is a hardened and ground steel spool valve that provides a slow heavy blow that is necessary for cutting and breaking heavier materials, such as concrete and brick.





Spade bit for digging and trenching



Breaching Brick and Block



Breaching Concrete

For other Urban Search and Rescue, Structural Collapse / Confined Space Rescue Kits, please visit our website at www.ajaxrescuetools.com

AJAX RESCUE TOOLS... WHEN EVERY SECOND COUNTS!

Since 1946, Ajax Tool Works, Inc. has been recognized as one of America's finest quality manufacturers of hand and power tool accessories. In discovering a need for our particular type of cutting tools, Ajax Rescue Tools became a pioneer in the field of emergency extrication tools, introducing our first air hammer rescue kit over 50 years ago. From this single kit has grown a complete line of rescue tools designed to meet the challenges in auto extrication, forcible entry, structural collapse, tunneling, confined space, trench rescue, mining collapses, and other emergency situations with the speed, portability and dependability you need when every second counts.



Cutting through dryer in collapse

Something in the Air!

There are several means of extrication devices on the market today, but none offer the versatility of air tools. Ajax Rescue Tools give you the speed, the portability and the dependability you need when every second counts!

Every Ajax Air Hammer Rescue Kit is completely portable, compact and lightweight. They can be operated with air tanks, compressors, nitrogen bottles, cascade systems or air brake outlets and may be used with both 2216 psi and 4500 psi air tanks.



Ajax 911-RK "Only Ajax Cuts The Bus"

About The Kits

Every kit includes an Ajax Kwik Change Retainer. This retainer was originally developed by Ajax to hold the cutting chisel securely in place, yet allowing you to change chisels in a matter of seconds during emergency procedures. In addition, the retainer also allows the use of Ajax Exclusive non-turn chisels. These chisels can be indexed into different positions to allow one-hand operation of the hammer when necessary. The Ajax Kwik Change Retainer is the only retainer which lets you use both turn and non-turn type chisels.



Cutting "C" Post

Ajax special cutting chisels are manufactured from the highest quality alloy steels and are made specifically for gaining fast entry into wrecked automobiles. Even though these chisels look similar to those found in many body shops and supply stores, don't be fooled! Only Ajax gives you the cutting edge needed for consistently fast extrication work.



Cutting "A" Post

Our **911 Series Super Duty Kits** feature the most powerful air hammer available. This industrial strength tool can make even the most difficult cuts. The 911-RK features 13 chisels in both turn and non-turn style. This is the choice of champion extrication teams throughout the world. **For the money, you won't find a more complete and powerful rescue kit!**

The **811 Series Heavy Duty Kits** contain 14 chisels in turn and non-turn styles; the most we have ever put into a kit. The air hammer included is more powerful and cuts faster than the 711-RK. **A truly outstanding value!**

The **711 Series Standard Kits** now have a longer-barreled hammer for more powerful and quicker cutting than the old 711-RK. They include 6 non-turn chisels and 1 turn-type moil point chisel.

Every kit includes a 15-foot heavy-duty double-braided hose, couplers and connectors, protective gauge guard, air tool oil and a heavy-duty 20-inch mechanics kit box with dual latches to securely store your kit while conveniently fitting into any rescue vehicle you may have. In addition, a complete selection of replacement and optional equipment is offered (see pages 6-8.)

ACCESSORIES & REPLACEMENT PARTS

711 & 811 SERIES

911 SERIES

POINT STYLE	.401 TURN TYPE		.401 NON-TURN TYPE		.498 TURN TYPE		.498 NON-TURN TYPE	
	PART NO.	LENGTH	PART NO.	LENGTH	PART NO.	LENGTH	PART NO.	LENGTH
KWIK CUTTER Used for most cutting applications	932-PL	8 1/2"	3156-PL	8 1/2"	3080-PL	9"	3180-PL	9"
	932-18-PL	18"	3156-18-PL	18"	3080-18-PL	18"	3180-18-PL	18"
DOUBLE BLADE PANEL CUTTER For ripping sheet metal	909-9-PL	9"	3159-PL	9"	3089-PL	9"	3189-PL	9"
MOIL POINT For chipping concrete, confined space rescue	940-PL	7"					3190-12-PL	12"
FLAT CHISEL 3/4" WIDE For cutting hardened bolts	910	6 1/2"	3102	7 1/2"	3042-PL	8 1/2"	3182-PL	7 1/2"
	910-11-PL	11"						
	910-18	18"	3102-18	18"			3182-18	18"
RIPPER For cutting heavier guage sheet metal	929-PL	9"						

WARNING: Ajax chisels and punches should only be used on materials softer than the tools themselves.



PART NO.	DIAMETER	LENGTH	PART NO.	DIAMETER	LENGTH
998	1/4"	15'	1030	3/8"	15'
988	1/4"	25'	1032	3/8"	25'
989	1/4"	50'	1034	3/8"	50'

NOTE: Supplied with male coupler on one end and male thread other end. Order couplers and connector separately.



PART NO.	DESCRIPTION
992	1/4" NPT Male Connector (hose and hammer)
993	1/4" NPT Female Coupler (hose)
996	1/4" NPT Male Coupler (regulator)



PART NO.	DESCRIPTION
1044	3/8" NPT Male Connector (hose)
1045	3/8" NPT Male Connector (hammer)
1048	3/8" NPT Male Coupler (regulator)
1052	3/8" NPT Female Coupler (hose)

AJAX RESCUE TOOLS CHISEL POUCH SETS



3191-RK
5 pc. Chisel Pouch Set
Consists of 2 pcs. 3156-PL,
2 pcs. 3159-PL, 1 pc. 940-PL
for use in 711 & 811
Rescue Kits Only



3192-RK
5 pc. Chisel Pouch Set
Consists of 2 pcs. 932-PL,
2 pcs. 909-9-PL, 1 pc. 929-PL
for use in 711 & 811
Rescue Kits Only



3193-RK
5 pc. Chisel Pouch Set
Consists of 2 pcs. 932-18-PL,
2 pcs. 3156-18-PL, 1 pc. 910-11-PL
for use in 711 & 811
Rescue Kits Only



3194-RK
5 pc. Chisel Pouch Set
Consists of 2 pcs. 3180-PL,
2 pcs. 3189-PL, 1 pc. 3182-PL
for use in 911 Rescue Kit Only



3195-RK
5 pc. Chisel Pouch Set
Consists of 2 pcs. 3080-PL,
2 pcs. 3089-PL, 1 pc. 3042-PL
for use in 911 Rescue Kit Only



3196-RK
5 pc. Chisel Pouch Set
Consists of 2 pcs. 3180-18-PL,
2 pcs. 3080-18-PL, 1 pc. 3190-12-PL
for use in 911 Rescue Kit Only

RESCUE KIT ACCESSORIES

AJAX MODEL #8250H
HIGH PRESSURE REGULATOR

FITS 4500 P.S.I., 5500 P.S.I. AIR CYLINDERS



User Friendly Architecture - The side mounted knob makes it easier to adjust, with a more natural and safer hand/body position for adjusting delivery pressure.
Advanced Design - Smaller and lighter than our previous models.
Durable Construction - Most regulators have multiple impact points. The Ajax 8250H regulator is designed with a single impact point configured to help protect elements critical to system integrity.
Compact layout - Gauges are built in and recessed into the body for protection.
Outstanding Flow Performance - They provide better flow control across a full range of cylinder pressures, with exceptional sensitivity in delivery pressure control.
SLAM Technology - Shock Limitation and Absorption Mechanism built into the adjusting knob helps protect vitals and reduces the chance of injury in the event of a cylinder accident.

DIMENSIONS: Length 7 1/2" Width 4" Height 4 1/2"
WEIGHT: 4 lbs.

NOTE: Ajax Air Hammer Rescue Tools operate up to 175 P.S.I maximum air pressure.

Ajax Kwik Change Retainer
Patent No. 8,746,702

Let's you replace Chisels in seconds!

Ajax Kwik change retainer features a patented front shield that keeps the retainer sleeve from inadvertently being moved during operation.

Ajax Kwik change retainers accept both turn type shanks and exclusive Ajax non-turn shanks that allow for one hand use of hammer when necessary.



Kwik Change Retainer:
3300S-9 (711 Series)
3300S-42 (811 Series)
3700S-3 (911 Series & X11 Series)



Non-Turn Collar



Standard-Turn type Collar





1985
For removing bolts and nuts on door hinges and lug nuts on tires.

1/2" Impact Wrench

1985 - SPECIFICATIONS

Torque ft/lbs. Working/Max	Shank	Retainer	Side to Center	Overall Length	Wgt. Lbs.
180 / 325	1/2" sq.	Friction Ring	1 5/16"	9"	5 1/2"

1/2" Drive Socket Sets



1986 11-pc. Fractional Deep Impact Socket Set (Includes: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4,13/16, 7/8, 15/16, 1 inch sizes)
1991 10-pc. Metric Deep Impact Socket Set (Incl. 10mm thru 19mm sizes).



1988
For removing bolts and nuts when space is limited.

3/8" Ratchet Wrench

1988 - SPECIFICATIONS

Free Speed	Max. Torque Ft. Lbs.	Wt. Lbs.	Lgth	Head Hgt.	Diam.
160 rpm	45	2 1/2	10"	13/16"	1 3/8"

3/8" Drive Socket Sets



1987 8-pc. Fractional Deep Impact Socket Set (Includes: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 inch sizes.
1992 12-pc. Metric Deep Impact Socket Set (Incl. 8mm thru 19mm sizes).



1989
For cutting and removing brake pedals and other materials.

Cut-Off Tool

1989 - SPECIFICATIONS

Speed	Cutting Depth	Wgt. Lbs.	Length	Wheel Size	Rec. PSI
23,000 rpm	3/4"	1 2/3	6 3/4"	2 7/8" x 1/6" x 3/8"	90

1990 (6) Standard-duty Cut-off Wheels



Air Tool Oil

1074 Air Tool Oil (4 oz.)
1075 Air Tool Oil (1 qt.)



AJAX Rescue Tools

AJAX "EXTRICATION TOMAHAWK" and "STRIP AND PEEK" Rescue Tools
2 Tools that are INVALUABLE on any Extrication Scene

"EXTRICATION TOMAHAWK"

NEW

10 TOOLS IN 1

AJAX PART NO. 673-RT



Designed by Rescue Innovations LLC.
Patent No. US 669,331S

"STRIP AND PEEK" RESCUE TOOL

Trim and Molding Removal Tool

Model No. 674-RT

The New Ajax No. 674-RT Trim and Molding Removal Tool is designed to expose the following hazards while preparing to extricate a victim from an automobile accident.

REVEAL THESE HAZARDS

1. Air Bag Canisters that have 3000 P.S.I. to 10,000 P.S.I.
2. Seat Belt Pre-Tensioners, positioned in the lower portion of the "B" post
3. Wire Looms that are connected to the Air Bags and Pre-Tensioner Systems
4. Expose the Super Structure of the vehicle prior to cutting





Augment Your Rescue Arsenal With Ajax Bars!






PRY BARS
(Nickel Chrome Plated)

Forged from the finest alloy steel and tempered for added strength.


Cat. No.	Stock Size	Length
9118-PL	21/32"	18" OAL
9124-PL	3/4"	24" OAL
9130-PL	7/8"	30" OAL
9146	7/8"	46" OAL
9154	1-1/16"	54" OAL



RESCUE BAR
Goose Neck/Pinch Point
(Nickel Chrome Plated)

Goose neck prys open car hoods for quick and easy access.

Cat. No.	Stock Size	Length
678-PL	7/8"	36" OAL
679-PL	1"	48" OAL



CROWBAR
WEDGE POINT

Cat. No.	
9160W	1-1/4" sq. X 60" Wedge Point/Lining Bar



CROWBAR
PINCH POINT

Cat. No.	
9160P	1-1/4" sq. X 60" Pinch Point/Lining Bar

WARNING: Never use an Extension (Cheater Bar) on any type of Pry Bar. Pry Bars are designed to flex, indicating that the maximum load has been met. If a Pry Bars starts to bend, stop using the bar immediately and use a larger Pry Bar that can safely meet the needed requirements.

© 2021 Ajax Tool Works, Inc.

AJAX Rescue Tools
www.ajaxrescuetools.com • Phone: 800-323-9129 • Fax: 800-424-2529

NEVER UNDERESTIMATE THE POWER OF X

11 eleven

INTRODUCING THE AXESS

RESCUE TOOL ONLY FROM AJAX!



AJAX: AT THE FOREFRONT OF EXTRICATION TECHNOLOGY

THE AJAX X11-RK AIR AXESS TOOL IS DESIGNED FOR CUTTING METAL, CHIPPING CONCRETE OR MASONRY BRICK, AND DIGGING IN DIRT OR GRAVEL. IT IS ALSO USEFUL FOR ANY OF THE FOLLOWING APPLICATIONS:

- FORCIBLE ENTRY
- TRENCH RESCUE
- STRUCTURAL COLLAPSE
- MINING COLLAPSE
- CONFINED SPACE



AXESS BY

AJAX Rescue Tools

AJAX TOOL WORKS, INC | 10801 FRANKLIN AVE. FRANKLIN PARK, IL 60131
CALL US TOLL-FREE: 800-323-9129 | FAX: 847-455-9242 | INFO@AJAXTOOLS.COM


WWW.AJAXRESCUETOOLS.COM

AXESS

BY AJAX RescueTools

THE AJAX X11-RK AIR AXESS TOOL INCLUDES THE AJAX NO. 1999 AIR HAMMER AND ALL THE ACCESSORIES SEEN HERE!

Ajax No.	Qty.	Description
1999	1	AXESS AIR HAMMER WITH 3700S-3 RETAINER
1044	1	3/8" MALE COUPLER W/ 3/8" NPT
1050	1	3/8" 90 DEGREE SWIVEL
1030	1	15 FT. 3/8" HOSE WITH MALE COUPLER
1052	1	3/8" FEMALE COUPLER FOR 1030 HOSE
8245H	1	REGULATOR (4500 PSI)
8246	1	GAUGE GUARD
1048	1	3/8" FEMALE COUPLER FOR REGULATOR
1074	1	4 OZ. BOTTLE OF OIL
5318	1	30" STEEL KIT BOX
8262	1	KIT BOX LINER
3000-RK	1	15-1/2" CHISEL POUCH
3100-RK	1	23-1/2" CHISEL POUCH
3189-PL	2	NON TURN PANEL CUTTER 9"
3180-PL	2	NON TURN KWIK CUTTER 9"
3182-PL	1	NON TURN FLAT CHISEL 7"
3180-18-PL	2	NON TURN KWIK CUTTER 18"
3182-18-PL	1	NON TURN FLAT CHISEL 18"
3184-18-PL	1	NON TURN 1-1/2" WIDE CHISEL 18"
3190-12-PL	1	NON TURN MOIL POINT 12"
3188-PL	1	NON TURN CLAY SPADE



SPECIFICATIONS:

BLOWS PER MINUTE 1650
PISTON BORE .....3/4"
STROKE LENGTH .....2-11/16"
CUBIC FEET/MINUTE .....7'
OVERALL LENGTH .....25"
NET WEIGHT .....10 LBS.



SINCE 1946, AJAX TOOL WORKS, INC. HAS BEEN RECOGNIZED AS ONE OF AMERICA'S FINEST QUALITY MANUFACTURERS OF HAND AND POWER TOOL ACCESSORIES. IN DISCOVERING A NEED FOR OUR PARTICULAR TYPE OF CUTTING TOOLS, AJAX RESCUE TOOLS BECAME A PIONEER IN THE FIELD OF EMERGENCY EXTRICATION TOOLS, INTRODUCING OUR FIRST AIR HAMMER RESCUE KIT OVER 40 YEARS AGO. FROM THIS SINGLE KIT HAS GROWN A COMPLETE LINE OF RESCUE TOOLS DESIGNED TO MEET THE CHALLENGES IN AUTO EXTRICATION, FORCIBLE ENTRY, STRUCTURAL COLLAPSE, TUNNELING, CONFINED SPACE, TRENCH RESCUE, MINING COLLAPSES, AND OTHER EMERGENCY SITUATIONS WITH THE SPEED, PORTABILITY AND DEPENDABILITY YOU NEED WHEN EVERY SECOND COUNTS.

RKX1107

AJAX RescueTools

CONFINED SPACE
SEARCH & RESCUE
AJAX RescueTools
STRUCTURAL COLLAPSE
WWW.AJAXRESCUETOOLS.COM
TM

URBAN SEARCH & RESCUE TOOLS
RAPID, COMPACT AND LIGHTWEIGHT



Pneumatic Breaching Tool Kits
Structural Collapse / Confined Spaces
Drilling, Breaking and Breaching

AJAX RescueTools
10801 Franklin Avenue Franklin Park, Illinois 60131 800.323.9129
WWW.AJAXRESCUETOOLS.COM

URBAN SEARCH & RESCUE TOOLS
STRUCTURAL COLLAPSE / CONFINED SPACES



Ajax Rescue Tools has been a leader in bringing new and innovative products to the fire rescue industry for over 45 years. Ajax is now offering a new line of Urban Search & Rescue Tools that include Structural Collapse / Confined Space Rescue Kits. Ajax proudly introduces a Heavy Duty Breaching Hammer Kit, Heavy Duty Breaching Drill Kit, Confined Space Breaching Hammer Kit and a Confined Space Breaching Drill Kit. Each kit will offer either a hammer or a drill with a 5' whip hose and lubricator, a set of bits and a Go Bag that will securely hold the hammer and all accessories. Also, each hammer and drill features a quick change chuck that allows the rescue technician the ability to quickly and easily change bits. In addition, each tool has been specifically designed to enable one operator to use and control each tool. This allows other technicians to be deployed to other critical operations.



Urban Search & Rescue, Structural Collapse and Confined Space rescues have their own set of challenges and these new Ajax Rescue Tools are designed to meet those challenges. Each kit consists of tools that offer maximum power for drilling or breaking, and are still lightweight and compact in size. Their lightweight and compact design allows the rescue technician the ability to easily transport and maneuver these tools when in a confined space. Each kit contains all the tools necessary to start and complete a Structural Collapse/Confined Space breaching operation.





AJAX MODEL 311-RK KIT



CONFINED SPACE BREACHING HAMMER KIT

The Ajax Rescue Tools Confined Space Breaching Hammer Kit is designed to offer quick vertical or horizontal access through various grades of concrete and stone. This kit includes a hard hitting compact hammer offering optimal power in a confined space. This hammer kit includes two each of a Moil Point chisel, Flat chisel, and a 2" Wide Flat chisel. In addition, each kit includes an 18 oz RipStop vinyl bag with shoulder strap and an accessory bag to hold the chisel bits. The Go Bag comes equipped with an internal locking mechanism that holds the hammer and bits securely. Ajax Rescue Tools has also included a 5' whip hose with pressure feed lubricator and a quart of biodegradable air tool oil to offer the rescue technician all the tools necessary to start a breaching operation.

This compact hard hitting hammer offers the rescue technician the ability to get through the needed materials and still have the ability to maneuver in a confined space rescue scenario, meaning quicker access when time counts

Ajax No. 311-RK Kit consist of the following items:		
1	1965	Confined Space Breaching Hammer
1	1037	5' Whip Hose with Pressure Feed Lubricator
1	802	14" O.A.L. Flat Chisel
1	804	14" O.A.L. Moil Point Chisel
1	808	14" O.A.L. 2" Wide Chisel
1	1079	32oz. Biodegradable Air Tool Oil
1	1950	Go Bag
1	1951	Accessory Bag

Ajax No. 1965 Confined Space Breaching Hammer Spec.		
Net Weight	4.8 KG.	10.5 Lbs
Length	317 mm	16"
Bore	28 mm	1.125"
Stroke	60 mm	2.375"
Blows per Minute	2550	2550
Chuck Size	19 X 50 mm	3/4" X 2" HEX
Air Inlet	12.7 mm	1/2" NPT
Air Consumption	45m3/m	15.8 Cfm



1965
Confined Space Breaching Hammer

AJAX MODEL 411-RK KIT



CONFINED SPACE BREACHING DRILL KIT

The Ajax Rescue Tools Confined Space Breaching Drill Kit is designed to offer quick vertical or horizontal access through various grades of concrete and stone. This kit includes a compact drill with a capacity ranging from 5/8" diameter to 1" diameter for stitching, the placement of a camera hole, and anchor pins. All drill bits are carbide tipped allowing them to be used in the toughest of materials, and include an air hole running the entire length of the bit allowing air to blow the dust out of the hole while drilling. In addition, each Kit includes an 18 oz RipStop vinyl bag with shoulder strap and an accessory bag to hold the drill bits. The Go Bag comes equipped with an internal locking mechanism that holds the drill and bits securely. Ajax Rescue Tools has also included a 5' whip hose with pressure feed lubricator and a quart of biodegradable air tool oil to offer the rescue technician all the tools necessary to start a breaching operation.

This compact drill offers the rescue technician the ability to quickly drill all required holes while still allowing the ability to maneuver when in a confined space rescue scenario. Test results indicate that this drill and drill bits can improve drilling speed significantly over traditional electric and hydraulic drills, meaning quicker access when time counts.

Ajax No. 411-RK Kit consist of the following items:		
1	1966	Confined Space Breaching Drill
1	1037	5' Whip Hose with Pressure Feed Lubricator
1	60002	5/8" Carbide Speed Bit with 9" Drill Depth
1	60003	7/8" Carbide Speed Bit with 9" Drill Depth
1	60004	7/8" Carbide Speed Bit with 12" Drill Depth
1	60005	1" Carbide Speed Bit 12" Drill Depth
1	1079	32oz. Biodegradable Air Tool Oil
1	1950	Go Bag
1	1951	Accessory Bag



1966
Confined Space Breaching Drill

Ajax No. 411 Confined Space Breaching Drill Spec.		
Net Weight	5 KG.	11 Lbs
Length	410 mm	16 1/2"
Bore	28 mm	1.125"
Stroke	60 mm	2.375"
Blows per Minute	2800	2800
Chuck Size	19 X 50 mm	3/4" X 2" Hex
Air Inlet	12.7 mm	1/2" NPT
Air Consumption	0.45m /3m	15.8 Cfm

AJAX MODEL 511-RK KIT



HEAVY DUTY BREACHING DRILL KIT

The Ajax Rescue Tools Heavy Duty Breaching Drill Kit is designed to offer quick vertical or horizontal access through various grades of concrete and stone. This kit includes a heavy duty drill with a capacity ranging from 5/8" diameter to 2-1/4" diameter for stitching, the placement of a camera hole, and anchor pins. All drill bits are carbide tipped allowing them to be used in the toughest of materials, and include an air hole running the entire length of the bit allowing air to blow the dust out of the hole while drilling. In addition, each kit includes an 18 oz RipStop vinyl bag with shoulder strap and an accessory bag to hold the drill bits. The Go Bag comes equipped with an internal locking mechanism that holds the drill and bits securely. Ajax Rescue Tools has also included a 5' whip hose with pressure feed lubricator and a quart of biodegradable air tool oil to offer the rescue technician all the tools necessary to start a breaching operation.

This heavy duty drill allows the rescue technician to quickly drill all required holes, along with the power that is needed to drill holes up to 2-1/4" in diameter to position cameras and listening devices. Test results indicate that this drill and drill bits can improve drilling speed significantly over traditional electric or hydraulic drills, meaning quicker access when time counts.

Ajax No. 511-RK Kit consist of the following items:		
1	1967	Heavy Duty Breaching Drill
1	1037	5' Whip Hose with Pressure Feed Lubricator
1	60010	Carbide Speedbit (5/8" Hole Dia.)(9" Drill Depth)
1	60110	Carbide Speedbit (7/8" Hole Dia.)(14"Drill Depth)
1	60160	Carbide Speedbit (1"Hole Dia.)(14"Drill Depth)
1	64010	12" "H" Threaded Drill Rod
1	63606	2-1/4" Dia.Piloted Carbide Rock Bit ("H" Thread)
1	1079	32 Oz. Biodegradable Air Tool Oil
1	1950	Go Bag
1	1951	Accessory Bag

Ajax No. 1967 Heavy Duty Breaching Drill Spec.		
Net Weight	7.5 Kg.	16.5 Lbs
Length	483 mm	19"
Bore	49.18 mm	1.9375"
Stroke	48 mm	1.89"
Blows per Minute	2900	2900
Chuck Size	22 X 83 mm	7/8" X 3-1/4" HEX
Air Inlet	12.7 mm	1/2" NPT
Air Consumption	1.2m3/m	36 Cfm



1967
Heavy Duty Breaching Drill

AJAX MODEL 611-RK KIT



HEAVY DUTY BREACHING HAMMER KIT

The Ajax Rescue Tools Heavy Duty Breaching Hammer Kit is designed to offer quick vertical or horizontal access through various grades of concrete and stone. This kit features an extremely powerful hard hitting hammer that can be controlled by one rescue technician. This high performance kit also includes two each of a Moil Point chisel, Flat chisel, and a 3" Wide Flat chisel. In addition, each kit includes an 18 oz RipStop vinyl bag with shoulder strap and an accessory bag to hold the chisel bits. The Go Bag comes equipped with an internal locking mechanism that holds the hammer and bits securely. Ajax Rescue Tools has also included a 5' whip hose with pressure feed lubricator and a quart of biodegradable air tool oil to offer the rescue technician all the tools necessary to start a breaching operation.

This Heavy Duty Breaching Hammer offers the rescue technician the ability to get through tough materials in the fastest possible time, meaning quicker access when time counts.

Ajax No. 611-RK Kit consist of the following items:		
1	1968	Heavy Duty Breaching Hammer
1	1037	5' Whip Hose with Pressure Feed Lubricator
2	813	15" O.A.L. Flat Chisel
2	815	15" O.A.L. Moil Point Chisel
2	817	15" O.A.L. 3" Wide Flat Chisel
1	1079	32oz. Biodegradable Air Tool Oil
1	1950	Go Bag
1	1951	Accessory Bag



1968
Heavy Duty Breaching Hammer

Ajax No. 1968 Heavy Duty Breaching Hammer Spec.		
Net Weight	12 KG.	24 Lbs
Length	470 mm	18 1/2"
Bore	36 mm	1.4"
Stroke	70 mm	2.75"
Blows per Minute	1560	1560
Chuck Size	22 x 83 mm	7/8" X 3 1/4" Sq.
Air Inlet	12.7 mm	1/2" NPT
Air Consumption	1.2m /3m	40 Cfm

ACCESSORIES FOR AJAX CONFINED SPACE/ STRUCTURAL COLLAPSE BREACHING HAMMERS & DRILLS

311-RK Hammer Kit (1965 Hammer)

3/4" Hex Shank Chisels

Ajax No.	Description
802	Flat Chisel 14"
804	Moil Point 14"
808	2" Wide Chisel 14"



511-RK Drill Kit (1967 H.D. Drill)

7/8" Hex Shank Carbide Speedbits



Ajax No.	Hole Size	Drill Depth
60010	5/8"	9"
60110	7/8"	14"
60160	1"	14"

64010 Drill Rod "H" Thread 12"



63606 2-1/4" Carbide Camera Access Bit



411-RK Hammer Kit (1966 Drill)

3/4" Hex Shank Carbide Speedbits



Ajax No.	Hole Size	Drill Depth
60002	5/8"	9"
60003	7/8"	9"
60004	7/8"	12"
60005	1"	9"

611-RK Hammer Kit (1968 Hammer)

7/8" Square Shank Chisels

Ajax No.	Description
813	Flat Chisel 15"
815	Moil Point 15"
817	3" Wide Chisel 15"



Ajax No.	Description	Size
1950	Go Bag	24"L x 12"W x 9"H



Ajax No.	Description	Size
1951	Accessory Bag	22"L x 7"W x 2"H



Each bag made from 18 oz. Ripstop Nylon



Ajax No.	Description
1037	5 Foot Whip Hose with Couplers and Lubricator



Ajax No.	Description
1036	3/4” x 50’ (200 Hzr) Red Hose with Couplers




Ajax No.	Description
1040	1/2” NPT Plug



Ajax No.	Description
1079	32 oz. Biodegrabable Air Tool Oil (ISO 32)



Augment Your Rescue Arsenal With Ajax Bars!



PRY BARS

(Nickel Chrome Plated)

Forged from the finest alloy steel and tempered for added strength.

Cat. No.	Stock Size	Length
9118-PL	5/8”	18” OAL
9124-PL	3/4”	24” OAL
9130-PL	7/8”	30” OAL
9146	7/8”	46“ OAL
9154	1-1/16”	54” OAL



RESCUE BAR Goose Neck/Pinch Point

(Nickel Chrome Plated)

Goose neck prys open car hoods for quick and easy access.

Cat. No.	Stock Size	Length
678-PL	7/8”	36”
679-PL	1”	48”



CROWBAR WEDGE POINT

Cat. No.
9160W 1-1/4” sq. X 60” Wedge Point/Lining Bar



CROWBAR PINCH POINT

Cat. No.
9160P 1-1/4” sq. X 60” Pinch Point/Lining Bar

