



RESCUE CHAINS



GRADED CHAIN

	ASTM & NACM Grade	CM Chain Embossment	ASTM Specification	Name	Typical Uses
	GRADE 70	G70	A413	Transport	A higher-strength, heat-treated carbon steel chain typically used by truckers, loggers and highway crews for load securement, towing, lashing and as trawler chain. Load ratings of Grade 70 chain are approximately 20% higher than Grade 43. Not to be used for overhead lifting.
	GRADE 80	HA800	A391	Alloy	A higher-strength, heat-treated alloy steel chain primarily used as a sling component for overhead lifting, but can also be used in rigging and tie-down applications where a lighter weight, higher strength chain is desirable. Meets NACM, ASME, and OSHA standards for overhead lifting.
	GRADE 100	HA1000	A973	Alloy	With approximately 25% higher strength than Grade 80, Grade 100 chain is used primarily as a sling component for overhead lifting. Grade 100 chain can be used for all of the same applications as Grades 30 through 80. Meets NACM, ASME, and OSHA standards for overhead lifting.

TEAM Rescue Chain Packages can be used separately or in conjunction with other rescue tools to save time and lives in crash rescue situations involving pulling, moving or displacing steering columns, seats, doors, dashboards and more or in industrial, transportation or farm equipment accidents, natural disasters, or terrorist incidents. High quality, high strength rescue chain packages every truck should have.



**TRC 570
Rescue Chain Package
3,000 lbs. Capacity**

TEAM TRC 570

An excellent all-around rescue chain package for general duty work. All chains and hooks are 5/16" transport grade 70 with a working load limit of 4000 lbs. For safety, we match the chains with a 1-1/2 ton chain Come-A-Long ensuring that the system will never be overloaded as long as all components are used together. This equipment is strong enough to do many jobs and light enough to make it easy to work with. (WLL = working load limit). Kit Weight -79 lbs.

#TRC 570 Rescue Chain Package includes the following:

One #TRC10 1-1/2 Ton Capacity Chain Come-A-long

This chain type Come-A-long is a high quality, heavy duty unit with a 1-1/2 ton capacity and a 5' pull. Built tough for years of dependable service. One of the best Come-A-longs in the industry. Weight 28 lbs.

One #TRC6 Anchor Chain

6 feet long with a "J" Hook at one end, a "T" Hook and grab hook at the other end. The "J" hook is used to hook around the frame or axle of a vehicle. The "T" hook is used to lock into slots on the frame. The "J" hook can also be used on the rear of the vehicle to aid in third-door, seat and roof removal. 5/16", Grade 70, 4,000 WLL, Weight 11 lbs.

One #TRC20 Pulling Chain

20 feet long with ad slip hook at one end and a grab hook at the other. 5/16", Grade 70, 4,000 WLL, Weight 24 lbs.

One #TRC5 Loading Hook

This loading hook is used for raising dashboards and will aid in operations where hooking and pulling are required. 4,000 WLL, Weight 5 lbs.

Two #TRC15 "Cheater Chains"

20 inches long with grab hooks at each end. Used for shortening or allowing proper positioning of the Come-A-Long. 5/16", Grade 70, 4,000 WLL, Weight 5 lbs.

One #TRC-25 - Carrying Container

IMPORTANT • Grade 70 chain should never be used for overhead lifting applications.

TEAM Rescue Tools Griphoist Kits

Quickly and easily set up a Griphoist to lift, pull and lower to save lives, rescue accident victims, remove obstacles such as wrecked automobiles, fallen trees, poles and various forms of debris. Griphoist kits provide versatility for rapid response when seconds count and gives users continuous control of the load being moved.



Individual Griphoist available in 1 ton to 4 ton capacity.

Griphoist Rescue Kits Include: Steel case, one hoist, 30/60 ft. of galvanized wire rope with safety hook mounted on carrying reel, telescopic handle for manual operation of hoist, matched snatch block pulley for kit selected, 6 ft long wire rope sling with choker hook, 6 ft long wire rope sling and 9 ft wire rope sling.

- #TGH1KIT** Kit Includes a 1 ton lifting capacity Griphoist
- #TGH2KIT** Kit Includes a 2 ton lifting capacity Griphoist
- #T24K-GHBDL** Includes two complete 2 ton capacity kits
- #TGH1** Includes 1 ton Griphoist & 30 ft. 5/16 in. wire rope
- #TGH2** Includes 2 ton Griphoist & 60 ft. 7/16 in. wire rope
- #TGH4** Includes 4 ton Griphoist & 30 ft. 5/8 in. wire rope

**THR6000 Heavy Duty
Rescue Chain Package
6,000 lbs. Capacity**

TEAM THR6000



This heavy-duty rescue chain package starts where the TRC570 leaves off. It is designed to handle big loads up to 6,000 lbs. All chains and hooks are 3/8" transport grade 70 with a working load limit of 6,000 lbs. For safety and maximum efficiency, we match the chains with a 3 ton heavy duty chain Come-A-Long ensuring that the system will never be overloaded as long as all components are used together. Due to the size and weight of components in this package it is not practical to store in a carrying container. All items should be stowed loosely in a compartment for easier handling. Kit Weight - 140 lbs.

#THR6000 Rescue Chain Package includes the following:

One #THR30 - 3 Ton Capacity Chain Come-A-Long

Heavy duty, high quality, 3 ton capacity with a 5' pull. Excellent heavy-duty unit. Weight- 47 lbs.

One #THR7 -Adjustable single chain sling

A Slip hook at end of seven foot long branch and grab hook at end of one foot short branch connected 3" round ring. 6,600 WLL, Weight - 17 lbs.

One #THR10

Same as THR7 but with ten foot long branch chain. Rescue Chain Slings are versatile components of the TEAM THR6000 and are used for various types of rigging and tie down applications, as well as pulling, dragging, moving, etc. Weight- 20 lbs.

One #THR16 - Pulling Chain

16 feet long with slip hook at one end and grab hook at the other end. 6,600 WLL, Weight - 26 lbs.

One #THR12 - "Cheater Chain"

12 inch long with grab hooks at both ends. Cheater Chain can be used to shorten a pulling chain or to allow for proper positioning of a Come-A-Long. 6,600 WLL, Weight 3 lbs.

One #TRC5 Loading Hook

This loading hook is used for raising dashboards and will aid in operations where hooking and pulling are required. 4,000 WLL, Weight 6 lbs.

One #THR60 - "J" Type Recovery Hook

Used to hook around frames and axles of heavy trucks, farm tractors, and machinery or hooking around an axle to aid in third door seat and roof removal. 4,600 WLL. Weight 5 lbs.

WLL = (working load limit)

IMPORTANT • Grade 70 chain should never be used for overhead lifting applications.

TEAM Saddle Lift Kit

#TSL-KIT

This kit captures suspension and supports vehicle lift designed to work in conjunction with your vehicle stabilization equipment. Includes two 20' 3/8" Grade 100 chains (grab/grab 8,800 WLL), two gradual release rescue ratchet straps (2"x27' 3,300 WLL), four cluster tie down keys (G70, 4,400 WLL, 5/16" grab) and two zippered storage bags (bags for straps, keys and accessories, not for chains). Weight 110 lbs.



TEAM Suspension Capture Kit

#TSCAP-KIT

Designed to work with your vehicle stabilization equipment or on its own.

Includes two rescue gradual release ratchet straps (2"x27' 3,300 WLL), four cluster tie down keys (G70, 4,400 WLL 5/16" grab) and two heavy duty zippered storage bags. Weight 38 lbs.

TEAM Rescue Chain, Rigging & Accessories

Only grade 80, Grade 100 or higher heat-treated alloy chains and components should be used for overhead lifting. Herc-Alloy 800 -Herc-Alloy 100 Meets NACM, ASME and OSHA standards for overhead lifting. 4:1 designed safety factor.



A Grab Hook allows for locking on to other chain links when necessary.



A Slip Hook (with or without clip) allows the chain to tighten around an object when tension is applied.



Large J Hook used for hooking around larger items.



Master Link - Ring



Load Binders are typically used to take up slack and apply tension to a tie-down system. Designed primarily for use with graded chains to secure loads in a variety of applications. Make sure to safely work within the working load limit of all components. Design Factor 3:1

Grade 100 Chains

25% Greater Strength than Grade 80 with the same weight.
Meets NACM, ASME, and OSHA standards for overhead lifting.

#TG100-3820GG	20 ft GRADE 100, 3/8" Chain (Grab/Grab)
#TG100-3815GG	15 ft GRADE 100, 3/8" Chain (Grab/Grab)
#TG100-3810GG	10 ft GRADE 100, 3/8" Chain (Grab/Grab)
#TG100-381GG	1 ft GRADE 100, 3/8" Cheater Chain (Grab/Grab)
#TG100-3820GS	20 ft GRADE 100, 3/8" Chain (Grab/Slip)
#TG100-3815GS	15 ft GRADE 100, 3/8" Chain (Grab/Slip)
#TG100-3810GS	10 ft GRADE 100, 3/8" Chain (Grab/Slip)

8,800 WLL (working load limit) - Design Factor 4:1

Grade 80 Chains

Meets NACM, ASME, and OSHA standards for overhead lifting.

#TG80-3820GG	20 ft GRADE 80, 3/8" Chain (Grab/Grab)
#TG80-3810JGM	10 ft GRADE 80, 3/8" Chain (15" J Hook/Grab/Master)
#TG80-3810GS	10 ft GRADE 80, 3/8" Chain (Grab/Slip w/spring clip)
#TG80-3810GJ	10 ft GRADE 80, 3/8" Chain (15" J Hook/Grab)

7,100 WLL (working load limit) - Design Factor 4:1

Chain & Rigging Accessories

#RSQRATCHET	2"x27" Gradual Release Ratchet Belt with Dbl J Hooks, 3,300 lbs. WLL
#BELTCOVER	20 in FLEECE Ratchet Belt Cover Sleeve VELCRO CLOSE
#TDKEYS	Cluster Tie Down Keys, 4,700 lbs. WLL (8"J, T, J, 5/16"G)
#TRB6600	5/16 - 3/8 Ratchet Binder, 6,600 lbs. WLL
#TRB9200	3/8 - 1/2 Ratchet Binder, 9,200 lbs. WLL
#TRB15000	3/8 - 1/2 G100 Ratchet Binder, 15,000 lbs. WLL
#TZIPBAG	Heavy Duty Zippered Bag
#RIGTOOL	CHAIN GRAB RIGGING TOOL

TEAM RESCUE TOOLS

Available Through Dealers Nation Wide

TEAM EQUIPMENT, INC.

6620 Orchid Lake Road
New Port Richey, FL. 34653
727-848-2424 | 800-367-9054
www.teamequipment.com

Local Dealer: